



☐ NewYork-Presbyterian

The Ronald O. Perelman & Claudia Cohen Center for Reproductive Medicine

Andrology Laboratory 1305 York Avenue, Y725, New York, NY 10021 Phone: (646) 962-8448 Fax: (646) 962-0347

CONSENT TO STORE AND USE DIRECTED DONOR SPECIMEN

I, (patient nai	me)(MRN #) and	(partner name)
(MRN #), agree to store frozen dire Medicine (CRM) at Weill Cornell Medicine.	cted donor specimens at the Andrology L	aboratory, Center for Reproductive
The directed donor's name isbank/laboratory), sent/brought over to the CRM A	and was frozen at ndrology Laboratory on	(name of
The CRM Andrology Laboratory agrees to maintal hereof, until the "Disposition of Cryopreserved S storage fee and this fee will be continuously reappropriately executed and returned. The CRM from (name of facility straws, or ampules such as the donor code nur sperm bank. The Andrology Laboratory also doe frozen and shipped from another laboratory.	specimen" form is signed. I understand ar newed each year until the "Disposition of Andrology Laboratory cannot guarantee") are in fact the frozen specimens, excep nber, date of cryopreservation, etc, and of	nd agree to pay an \$800.00 annual f Cryopreserved Specimen" form is that the frozen specimens received of for the identification on the vials, documentation provided by the said
I understand that there are inherent risks in the sperm, reduced capacity of fertilization, and reducryopreservation of human spermatozoa increaversus the use of fresh semen. While it is also possess otherwise undesirable traits or hereditar be no more frequent or severe than in children co	iced life span after thawing. At this time, to se chances of abnormalities in intrauter possible that the resulting child or children y tendencies, or other problems or disabil	here is no proven evidence that the ine development and birth defects n may be born with birth defects or
Upon my demise my samples should be: [] given to my spouse/partner [] d	onated for research purposes [] des	stroyed
I also understand that there are potential risks in specimens are kept in liquid nitrogen in container of sample may occur at any time due to technica of other reasons. I understand that I will only be e	s equipped with a temperature alarm systemation is sufficiently a second to be sufficient to the second to the system of the second to the sec	em, accidental thaw damage or loss ruction of the laboratory, or a variety
I understand that by signing this section I am gi sample to be used in artificial insemination, in vitr		
Agreed and accepted:		
Partner's Signature (With copy of photo ID)	Partner's DOB	 Date
, , , , , , , , , , , , , , , , , , , ,		
Patient's Signature (With copy of photo ID)	Patient's DOB	Date
# of vials received Home Number	Work Number	
Address		
CRM Witness/Notary Public	Notary Seal	 Date